

VOE Jarl


Multi-Purpose Vessel

AUGUST 22 2024



MAIN SPECIFICATIONS

General

Type of vessel:	Multi-Purpose Vessel Multicat 2611
Classification:	BV 1  HULL • MACH Tug Unrestricted navigation
IMO:	9429974
Callsign:	9HB9727
MMSI:	256003619
Flag:	Malta
Tonnage (UMS):	161

Tank Capacities

Fuel oil:	110 m ³
Fresh water:	52 m ³
Black/grey water:	9.20 m ³
Ballast water:	55 m ³
Dirty oil:	1.70 m ³

Dimensions

Length O.A.:	26 m
Beam O.A.:	11.50 m
Draught aft (range):	2.25 m - 2.65 m
Deck loading:	10 m ²
Clear deck area:	180 m ²

JIFMAR GROUP

→ Contact: sales@jifmar.net



This document is for guidance and information only. Information provided is given under good faith and is non-contractual. This document may be updated without advanced notice. It may not be published, redistributed or reproduced without the prior written consent of ©Jifmar Group.



DETAILED SPECIFICATIONS

Propulsion System

Bow thruster:	Hydraulically driven 200 kW, 360°
Main engines:	3 x CUMMINS KT38-MO
Power output:	1791 kW

Auxiliary Systems

Generator sets:	2 x CUMMINS 6 BT 5.9-D 2 x 89 kVA
Harbour set:	Hatz 3L41C 25 kVA

Deck Lay-out

Crane FWD:	EFFER 200.000 3S 10.50 t @ 16 m
Crane AFT:	Effer 200.000 3S 10.50 t @ 16 m
Anchor handling winch:	100 t pulling ; 150 t holding
Towing winch:	50 t pulling ; 90 t holding
Tugger winches:	2 x 13 t pulling
Spud legs:	Optional : 2x Ø 650mm, 15 m
Towing hook:	35 t
Stern roller:	150 t ; 2 m x 760 mm
Bow roller:	150 t ; 5 m x 1000 mm
Capstan:	5 t

Accommodation

POB:	6
Cabins:	3 double

Navigation & Communication

GMDSS:	A1 + A2
--------	---------

ADDITIONAL PICTURES





GENERAL ARRANGEMENT

